



## CDH1 gene

cadherin 1

### Normal Function

The *CDH1* gene provides instructions for making a protein called epithelial cadherin or E-cadherin. This protein is found within the membrane that surrounds epithelial cells, which are the cells that line the surfaces and cavities of the body. E-cadherin belongs to a family of proteins called cadherins whose function is to help neighboring cells stick to one another (cell adhesion) to form organized tissues.

E-cadherin is one of the best-understood cadherin proteins. In addition to its role in cell adhesion, E-cadherin is involved in transmitting chemical signals within cells, controlling cell maturation and movement, and regulating the activity of certain genes. E-cadherin also acts as a tumor suppressor protein, which means it prevents cells from growing and dividing too rapidly or in an uncontrolled way.

### Health Conditions Related to Genetic Changes

#### breast cancer

Inherited mutations in the *CDH1* gene increase a woman's risk of developing a form of breast cancer that begins in the milk-producing glands (lobular breast cancer). In many cases, this increased risk occurs as part of an inherited cancer disorder called hereditary diffuse gastric cancer (HDGC) (described below). Inherited mutations in the *CDH1* gene are thought to account for only a small fraction of all breast cancer cases.

*CDH1* gene mutations also occur commonly in lobular breast cancers in women without a family history of the disease. These genetic changes, known as somatic mutations, are not inherited. Somatic gene mutations are acquired during a person's lifetime and occur only in certain cells in the breast. Some of these genetic changes occur within the gene itself, while others turn off (inactivate) a region of nearby DNA that controls the gene's activity. Researchers believe that the resulting loss of E-cadherin may allow breast cells to grow and divide unchecked, leading to a cancerous tumor. A lack of this protein, which is critical for cell adhesion, may also make it easier for cancer cells to detach from a primary tumor and spread (metastasize) to other parts of the body.

#### hereditary diffuse gastric cancer

More than 120 inherited mutations in the *CDH1* gene have been found to cause a familial cancer disorder called hereditary diffuse gastric cancer (HDGC). People with

*CDH1* gene mutations associated with HDGC have a 56 to 70 percent chance of developing stomach (gastric) cancer in their lifetimes. Women with these mutations also have a 40 to 50 percent chance of developing lobular breast cancer (described above). People with HDGC caused by *CDH1* gene mutations are born with one mutated copy of the gene in each cell. An additional mutation that impairs the normal copy of the *CDH1* gene is needed for cancer to develop. This mutation is a somatic mutation and is present only in cancer cells.

The mutations that cause HDGC often lead to the production of an abnormally short, nonfunctional version of the E-cadherin protein or lead to the production of a protein with an altered structure. The loss of normal E-cadherin prevents it from acting as a tumor suppressor, contributing to the uncontrollable growth and division of cells. A lack of E-cadherin impairs cell adhesion, increasing the likelihood that cancer cells will invade the stomach wall and small clusters of cancer cells will metastasize into nearby tissues. In combination, the inherited and somatic mutations lead to a lack of functional E-cadherin and result in HDGC.

ovarian cancer

prostate cancer


other cancers

Noninherited (somatic) *CDH1* gene mutations are associated with an increased risk of other cancers, including cancers of the lining of the uterus (endometrium) or the ovaries in women, and prostate cancer in men. These *CDH1* gene mutations are thought to result in a nonfunctional E-cadherin protein. A loss of functional E-cadherin in these cells prevents tumor suppression and cell adhesion, leading to rapid cell growth and metastasis. It is unclear why *CDH1* gene mutations affect certain tissues and not others.

## Chromosomal Location

Cytogenetic Location: 16q22.1, which is the long (q) arm of chromosome 16 at position 22.1

Molecular Location: base pairs 68,737,290 to 68,835,542 on chromosome 16 (Homo sapiens Annotation Release 108, GRCh38.p7) (NCBI)



Credit: Genome Decoration Page/NCBI

## Other Names for This Gene

- Arc-1
- CADH1\_HUMAN
- cadherin 1, E-cadherin (epithelial)
- cadherin 1, type 1
- cadherin 1, type 1, E-cadherin (epithelial)
- calcium-dependent adhesion protein, epithelial
- CAM 120/80
- CD324
- CDHE
- cell-CAM 120/80
- E-cadherin
- ECAD
- LCAM
- liver cell adhesion molecule
- UVO
- uvomorulin

## Additional Information & Resources

### Educational Resources

- Developmental Biology (sixth edition, 2000): Cadherins and Cell Adhesion  
<https://www.ncbi.nlm.nih.gov/books/NBK10021/#A385>
- Molecular Biology of the Cell (fourth edition, 2002): Cadherins Have Crucial Roles in Development  
<https://www.ncbi.nlm.nih.gov/books/NBK26937/#A3516>
- National Cancer Institute: Genetics of Breast and Gynecologic Cancers (PDQ)  
<https://www.cancer.gov/types/breast/hp/breast-ovarian-genetics-pdq>

### GeneReviews

- Hereditary Diffuse Gastric Cancer  
<https://www.ncbi.nlm.nih.gov/books/NBK1139>

### Scientific Articles on PubMed

- PubMed  
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28CDH1%5BTI%5D%29+OR+%28E-cadherin%5BTI%5D%29%29+AND+%28%28Genes%5BMH%5D%29+OR+%28Genetic+Phenomena%5BMH%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+360+days%22%5Bdp%5D>

### OMIM

- CADHERIN 1  
<http://omim.org/entry/192090>

### Research Resources

- Atlas of Genetics and Cytogenetics in Oncology and Haematology  
<http://atlasgeneticsoncology.org/Genes/CDH1ID166ch16q22.html>
- Cancer Genetics Web  
<http://www.cancerindex.org/geneweb/CDH1.htm>
- ClinVar  
<https://www.ncbi.nlm.nih.gov/clinvar?term=CDH1%5Bgene%5D>
- HGNC Gene Family: CD molecules  
<http://www.genenames.org/cgi-bin/genefamilies/set/471>
- HGNC Gene Family: Type I classical cadherins  
<http://www.genenames.org/cgi-bin/genefamilies/set/1185>
- HGNC Gene Symbol Report  
[http://www.genenames.org/cgi-bin/gene\\_symbol\\_report?q=data/hgnc\\_data.php&hgnc\\_id=1748](http://www.genenames.org/cgi-bin/gene_symbol_report?q=data/hgnc_data.php&hgnc_id=1748)

- NCBI Gene  
<https://www.ncbi.nlm.nih.gov/gene/999>
- UniProt  
<http://www.uniprot.org/uniprot/P12830>

## Sources for This Summary

- Carneiro F, Oliveira C, Suriano G, Seruca R. Molecular pathology of familial gastric cancer, with an emphasis on hereditary diffuse gastric cancer. *J Clin Pathol*. 2008 Jan;61(1):25-30. Epub 2007 May 18. Review.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/17513507>
- Carneiro P, Fernandes MS, Figueiredo J, Caldeira J, Carvalho J, Pinheiro H, Leite M, Melo S, Oliveira P, Simões-Correia J, Oliveira MJ, Carneiro F, Figueiredo C, Paredes J, Oliveira C, Seruca R. E-cadherin dysfunction in gastric cancer--cellular consequences, clinical applications and open questions. *FEBS Lett*. 2012 Aug 31;586(18):2981-9. doi: 10.1016/j.febslet.2012.07.045. Epub 2012 Jul 25. Review.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/22841718>
- Corso G, Figueiredo J, Biffi R, Trentin C, Bonanni B, Feroce I, Serrano D, Cassano E, Annibale B, Melo S, Seruca R, De Lorenzi F, Ferrara F, Piagnerelli R, Roviello F, Galimberti V. E-cadherin germline mutation carriers: clinical management and genetic implications. *Cancer Metastasis Rev*. 2014 Dec;33(4):1081-94. doi: 10.1007/s10555-014-9528-y. Review.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/25332147>
- Figueiredo J, Söderberg O, Simões-Correia J, Grannas K, Suriano G, Seruca R. The importance of E-cadherin binding partners to evaluate the pathogenicity of E-cadherin missense mutations associated to HDGC. *Eur J Hum Genet*. 2013 Mar;21(3):301-9. doi: 10.1038/ejhg.2012.159. Epub 2012 Aug 1.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/22850631>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3573198/>
- Fitzgerald RC, Hardwick R, Huntsman D, Carneiro F, Guilford P, Blair V, Chung DC, Norton J, Ragunath K, Van Krieken JH, Dwerryhouse S, Caldas C; International Gastric Cancer Linkage Consortium. Hereditary diffuse gastric cancer: updated consensus guidelines for clinical management and directions for future research. *J Med Genet*. 2010 Jul;47(7):436-44. doi: 10.1136/jmg.2009.074237. Erratum in: *J Med Genet*. 2011 Mar;48(3):216. Van Krieken, Nicola [corrected to Van Grieken, Nicola C].  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/20591882>  
*Free article on PubMed Central:* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2991043/>
- GeneReview: Hereditary Diffuse Gastric Cancer  
<https://www.ncbi.nlm.nih.gov/books/NBK1139>
- Hansford S, Kaurah P, Li-Chang H, Woo M, Senz J, Pinheiro H, Schrader KA, Schaeffer DF, Shumansky K, Zogopoulos G, Santos TA, Claro I, Carvalho J, Nielsen C, Padilla S, Lum A, Talhouk A, Baker-Lange K, Richardson S, Lewis I, Lindor NM, Pennell E, MacMillan A, Fernandez B, Keller G, Lynch H, Shah SP, Guilford P, Gallinger S, Corso G, Roviello F, Caldas C, Oliveira C, Pharoah PD, Huntsman DG. Hereditary Diffuse Gastric Cancer Syndrome: CDH1 Mutations and Beyond. *JAMA Oncol*. 2015 Apr;1(1):23-32. doi: 10.1001/jamaoncol.2014.168. Erratum in: *JAMA Oncol*. 2015 Apr;1(1):110.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/26182300>

- Kobayashi H, Ohno S, Sasaki Y, Matsuura M. Hereditary breast and ovarian cancer susceptibility genes (review). *Oncol Rep.* 2013 Sep;30(3):1019-29. doi: 10.3892/or.2013.2541. Epub 2013 Jun 19. Review.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/23779253>
- More H, Humar B, Weber W, Ward R, Christian A, Lintott C, Graziano F, Ruzzo AM, Acosta E, Boman B, Harlan M, Ferreira P, Seruca R, Suriano G, Guilford P. Identification of seven novel germline mutations in the human E-cadherin (CDH1) gene. *Hum Mutat.* 2007 Feb;28(2):203.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/17221870>
- National Cancer Institute: Genetics of Breast and Gynecologic Cancers (PDQ)  
<https://www.cancer.gov/types/breast/hp/breast-ovarian-genetics-pdq>
- Oliveira C, Pinheiro H, Figueiredo J, Seruca R, Carneiro F. E-cadherin alterations in hereditary disorders with emphasis on hereditary diffuse gastric cancer. *Prog Mol Biol Transl Sci.* 2013;116: 337-59. doi: 10.1016/B978-0-12-394311-8.00015-7. Review.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/23481202>
- Park D, Kåresen R, Axcróna U, Noren T, Sauer T. Expression pattern of adhesion molecules (E-cadherin, alpha-, beta-, gamma-catenin and claudin-7), their influence on survival in primary breast carcinoma, and their corresponding axillary lymph node metastasis. *APMIS.* 2007 Jan;115(1):52-65.  
*Citation on PubMed:* <https://www.ncbi.nlm.nih.gov/pubmed/17223851>

---

Reprinted from Genetics Home Reference:  
<https://ghr.nlm.nih.gov/gene/CDH1>

Reviewed: August 2016  
Published: March 21, 2017

Lister Hill National Center for Biomedical Communications  
U.S. National Library of Medicine  
National Institutes of Health  
Department of Health & Human Services